


HOOK BLOCK

10

I) HOOK BLOCK DIMENSIONS



HOOK BLOCK	10
-------------------	-----------

I) HOOK BLOCK DIMENSIONS

Hoist	FEM	Hook size	d	H	S	S1	B	D	D1	D2
			mm	mm	mm	mm	mm	mm	mm	mm
SM10111-	1Am,2m,3m	N°25	6	290	-	-	-	135	-	-
SM10211-	1Am,2m,3m	RSN1	6	300	-	125	90	164	148	119
SM10411-	1Am,2m,3m	RSN1	6	245	156	125	246	164	148	119
SM10421-	1Am,2m,3m	RSN1	6	300	91	125	181	164	148	119
SM20111-	1Am,2m,3m	N°25	7	290	-	-	-	135	-	-
SM20211	1Am	RSN1	7	300	-	125	90	164	148	119
4										
SM20211-	2m,3m	RSN1	7	320	-	156	90	204	188	149
SM20411-	1Am,2m,3m	RSN2.5	7	290	179	156	265	204	188	149
SM30111-	1Am,2m,3m	N°25	9	290	-	-	-	135	-	-
SM30211	1Am	RSN1	9	320	-	162	90	204	188	153
4										
SM30211-	2m,3m	RSN2.5	9	405	-	231	109	282	265	222
SM30411	1Am	RSN2.5	9	290	175	162	265	204	188	153
4										
SM30411-	2m,3m	RSN4	9	350	214	231	323	282	265	222
SM30611-	1Am,2m,3m	RSN4	9	454	37	231	154	282	265	222
SM30421-	1Am,2m,3m	RSN1	7	320	95	156	181	204	188	149
SM40111-	1Am,2m,3m	N°25	13	290	-	-	-	135	-	-
SM40211	1Am	RSN2.5	13	405	-	235	109	282	265	221
4										
SM40211-	2m,3m	RSN4	13	490	-	293	133	347	330	280
SM40411	1Am	RSN4	13	350	214	235	323	282	265	221
4										
SM40411-	2m,3m	RSN5	13	400	259	293	392	347	330	280
SM40611-	1Am,2m,3m	RSN5(L,R)	13	530	50	293	209	347	330	280
SM40611-	1Am,2m,3m	RSN6 (N)	13	600	50	293	209	347	330	280
SM40421-	1Am,2m,3m	RSN2.5	9	405	111	231	220	282	265	222
SM50211	1Am	RSN4	16	490	-	291	133	347	330	275
4										
SM50211-	2m,3m	RSN4	16	540	-	359	408	448	420	343
SM50411	1Am	RSN5	16	400	259	291	392	347	330	275


SM2000

TECHNICAL GUIDE

4										
SM50411-	2m,3m	RSN5	16	402	295	359	408	448	420	343
SM50611-	1Am,2m,3m	RSN10	16	670	66	359	322	448	420	343
SM50421-	1Am,2m,3m	RSN4	13	490	267	293	134	347	330	280

HOOK BLOCK	10
-------------------	-----------


D) HOOK BLOCK DIMENSIONS



Hoist	FEM	Hook size	d	H	H1	H2	B1	B2
			mm	mm	mm	mm	mm	mm
SM504214	1Am	RSN4	13	600	145	400	666	252
SM50421-	2m, 3m	RSN4	13	675	175	445	730	252
SM508214	1Am	RSN6	13	710	145	495	666	252
SM50821-	2m, 3m	RSN6	13	790	175	540	730	252
SM512214	1Am	RFN10	13	740	145	500	666	272
SM51221-	2m, 3m	RFN10	13	820	175	550	730	272
SM516214	1Am	RFN10	10	740	145	500	666	272
SM602114	1Am	RSN6	20	969	220	663	440	196
SM60211-	2m, 3m	RFN10	20	1148	265	776	530	234
SM604114	1Am	RFN10	20	1058	220	731	440	234
SM60411-	2m, 3m	RFN10	20	1148	265	776	530	234
SM60421-	1Bm, 1Am	RSN10	16	856	200	550	880	270
SM60421-	2m, 3m	RSN10	16	811	165	540	740	270
SM60821-	1Bm, 1Am	RSN10	16	856	200	550	880	270
SM60821-	2m, 3m	RSN10	16	811	165	540	740	270
SM61221-	1Bm, 1Am	RSN16	16	973	200	676	880	270
SM61221-	2m, 3m	RSN16	16	923	165	626	800	270
SM616213	1Bm	RSN20	14	1029	165	714	800	315

HOOK BLOCK	10
-------------------	-----------

II) HOOK DIMENSIONS



	RSN1	RSN2.5	RSN4	RSN5	RSN6	RSN10	RFN10	RFN16	RFN20	RSN25
a1	50	63	71	80	90	112	112	140	160	180
a2	40	50	56	63	71	90	90	112	125	140
a2' *	35	41	44	48	56	75	75	97	110	125
a3	57	72	80	90	101	127	127	160	180	202
b1	38	53	63	71	80	100	100	125	140	160
b2	32	45	53	60	67	85	85	106	118	132
d1	30	42	48	53	60	75	75	95	106	118
e2	128	167	190	215	240	286	286	357	405	455
h1	48	67	80	90	100	125	125	160	180	200
h2	40	58	67	75	85	106	106	132	150	170
l1	197	253	285	318	374	452	460	595	665	724
poids weight	3.2 kg	6.3 kg	8.8 kg	12.3 kg	17.1 kg	40 kg	40.0 kg	77.0 kg	112 kg	160 kg

* a2 dimension with safety catch. Dimensions are mm.