



# LOW HEADROOM, 4 PART SINGLE

Hoist type:

SI-50Hz

SX2 041..L0

SX3 041..L0



HEADROOM TABLE	
Flange Width, B (mm)	Headroom, C (mm)
80 - 270	350
271 - 320	380
321 - 370	410
371 - 410	435

Headroom is related to the flange width

Load (kg)	Class Fem/IS	Hoisting speed (m/min)			
		Gear+Motor code:			
		F+P1	F+P2	G+P2	H+P3
1600	3m/M6	5/0.8	5/0.8	6.3/1.1	8/1.3
2000	2m/M5	5/0.8	5/0.8	6.3/1.1	8/1.3
2500	3m/M6	-	5/0.8	6.3/1.1	8/1.3
3200	2m/M5	-	5/0.8	6.3/1.1	8/1.3
+ weight (kg):		-	10	10	13

HOL (m)	Length code	M2 (mm)	H2 (mm)	H3 (mm)	S1(mm)			S2(mm)			S3 (mm)	T6 (mm)	W2 (mm)	Weight (kg)
					P1	P2	P3	P1	P2	P3				
6	A	431	220	45	242	300	330	22	80	110	170	454	332	292
9.5	C	561	350	72	303	303	330	83	83	110	66	584	462	312

Note: S1,S2 are the dimensions to the outermost part in each case, without the second control enclosure

This document is the absolute property of R&M Materials Handling, Inc. This document must not be copied without the written permission of R&M Materials Handling, Inc. The contents thereof must not be disclosed to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.

Design	Ctrl	Appd	Ref Drawing	QA-L-04
Date	TROLLEY; LOW HEADROOM			
SLE/ME/CE	4 ROPE FALLS			
Rev: 001	D002080-A			
R&M MATERIALS HANDLING INC.	R&M MATERIALS HANDLING INC HOIST & CRANE PRODUCTS SPRINGFIELD, OHIO			4